

PUBLICATIONS : Abhijit Sarkar

1. Colorimetric Biosensors based on PAMAM dendrimers. **Abhijit Sarkar**, Steven N. Kaganove, Peter R. Dvornic and Paul S. Satoh, *Polymer News*, in press (2005).
2. Self-assembled oligonucleotides conjugated to GaN semiconductor nanostructures for radiative decay engineering. Neogi, A.; Basu, P.; **Sarkar, A.**; Morkoc, H. in “*Organic and Nanocomposite Optical Materials*”, Cartwright, A.; Cooper, T.M.; Karna, S.; Nakanishi, H. eds., vol. 846, DD8.2, MRS, Warrendale, PA, 2005.
3. Novel Conjugated GaN semiconductor nanostructures for biophotonic application. Neogi, A., **Sarkar, A.**, Morkoc, H., *Electronic Letters*, **40**, 1605, 2004.
4. Colorimetric Nano-sensors based on amphiphilic PAMAM Dendrimers. **Sarkar, A.**; Satoh, P, Dvornic, P., Kaganove, S., *Polym. Prepr.*, **44(1)**, 1055, 2003.
5. Colorimetric Polydiacetylene Nano-sensors based on PAMAM Dendrimer Templates. **Sarkar, A.**; Satoh, P, Dvornic, P., Kaganove, S., *Polym. Prepr.*, **44(2)**, 191, 2003.
6. Nonlinear optical properties of dehydrobenzo[18]annulenes: expanded two-dimensional dipolar and octupolar NLO chromophores. **Abhijit Sarkar**, Joshua J. Pak, George W. Rayfield, Michael M. Haley, *J. Mater. Chem.*, **11**, 2943, 2001.
7. Synthesis of Polydiacetylenes from Novel Monomers Having Two Diacetylene Units Linked by an Arylene Group. Hiroshi Matsuzawa, Shuji Okada, **Abhijit Sarkar**, Hiro Matsuda and Hachiro Nakanishi, *Polymer J.*, **33**, 182-189, 2001
8. Synthesis and characterization of dehydrothieno[18]annulenes. **Abhijit Sarkar** and Michael M. Haley, *Chem. Commun.*, 1733-1734, 2000.
9. Polydiacetylenes for third order nonlinear optical materials. **Abhijit Sarkar**, Shuji Okada, Hiroshi Matsuzawa, Hachiro Nakanishi and Hiro Matsuda, FEATURE ARTICLE in *J. Mat. Chem.*, **10**, 819-828, 2000.
10. Improved Third-Order Nonlinear Optical Properties of Polydiacetylene Derivatives. Shuji Okada, Hachiro Nakanishi, Hiroshi Matsuzawa, Hideyuki Katagi, Toshiyuki Oshikiri, Hitoshi Kasai, **Abhijit Sarkar**, Hidetoshi Oikawa, Raul Rangel-Rojo, Takashi Fukuda and Hiro Matsuda, *SPIE Conference Proceedings*, **3796**, 76-87, 1999.
11. Thermal Behaviour of Diacetylenes with Formally Conjugated Heteroaryl Sidegroups. **Abhijit Sarkar** and Satya S. Talwar, *Bull. Chem. Soc. Jpn.*, **72**, 859, 1999.
12. Chemical and electrochemical polymerisation of thiophene containing diacetylenes. **A. Sarkar**, S. S. Talwar, S. Okada and H. Nakanishi, *Polym. Bull.*, **42**, 69, 1999.
13. Synthesis of Ladder Polymers containing Polydiacetylene Backbones connected with Methylene Chains and Their Optical Properties. Hiroshi Matsuzawa, Shuji Okada, **Abhijit Sarkar**, Hiro Matsuda and Hachiro Nakanishi, *J. Polym. Sci., Polym. Chem. Ed.*, **37**, 3537, 1999
14. A convenient synthesis of Aromatic ring substituted diacetylenes. **Abhijit Sarkar**, Shuji Okada, Hiro Matsuda and Hachiro Nakanishi, *Helv. Chim. Acta.*, **82**, 100, 1999.

15. Solid State Polymerization of Diacetylenes with π -conjugating Substituents for Third-order Nonlinear Optical Properties. **A. Sarkar**, N. B. Kodali and S. S. Talwar, *J. Macromol. Sci., Part A: Pure and Applied Chemistry*, **36**, 211, 1999.
16. Polydiacetylenes from Asymmetrically Substituted Diacetylenes Containing Heteroaryl Side Groups for Third-Order Nonlinear Optical Properties. **A. Sarkar**, S. Okada, H. Matsuda and H. Nakanishi, *Macromolecules*, **31**, 9174, 1998.
17. Heteroaryl Functionalised Diacetylenes : Preparation and Solid State Reactivity. **Abhijit Sarkar** and Satya S. Talwar, *J. Chem. Soc. Perkin Trans. 1*, 4141, 1998.
18. First example of a polymerisable diacetylene monomer with directly linked sidegroup and the third-order nonlinear susceptibility of the polymer. **A. Sarkar**, S. Okada, H. Matsuda and H. Nakanishi. *Chemistry Lett.*, 1073, 1998.
19. A novel series of quinoline containing asymmetrically substituted polydiacetylenes for third-order nonlinear optical materials. **A. Sarkar**, S. Okada, H. Matsuda and H. Nakanishi, *Polym. Bull.*, **41**, 425, 1998.
20. Polydiacetylenes having Quinolyl Sidegroups for third-order nonlinear optical materials. **A. Sarkar**, S. Okada, H. Matsuda and H. Nakanishi, *J. Mat. Sci. Lett.*, **17**, 1449. 1998.
21. Octatetrayne with directly linked aromatic sidegroups : Preparation and characterisation. **A. Sarkar**, S. Okada, K. Komatsu, H. Matsuda and H. Nakanishi, *Macromolecules*, **31**, 5624, 1998.
22. Preparation of Asymmetrically substituted diacetylenes containing heteroaryl sidegroups and their solid state polymerisation. **A. Sarkar**, S. Okada, H. Matsuda and H. Nakanishi. *Mol. Cryst. Liq. Cryst.*, **315**, 65, 1998.
21. 1,8-Bis(2-thienyl)-1,3,5,7-octatetrayne. **A. Sarkar**, K. Komatsu, S. Okada, H. Matsuda and H. Nakanishi. *Acta Cryst.*, **C54**, 1519, 1998.
24. Dispersion of second molecular hyperpolarisability of diacetylene derivatives : Correlation with electronic and chemical structures. A. V. V. Nampoothiri, P. N. Puntambeker, B. P. Singh, R. Sachdeva, **A. Sarkar**, D. Saha, A. N. Suresh and S. S. Talwar. *J. Chem. Phys.*, **109**, 685, 1998.
25. Crystal Structure of 1-(2-thienyl)penta-1,3-diyne-5-ol. T. Manisekaran, **A. Sarkar**, S.S. Talwar and J.S. Prasad. *Mol. Cryst. Liq. Cryst. Sci. Technol. Sect. A*, **308**, 77-82, 1997.
26. Poly{1,2-di(2-seliny)ethene}: a novel electroactive polymer with reduced band gap. S. C. Ng, H. S. O. Chan, H. H. Huang, T. T. Ong, **A. Sarkar**, K. Kumura, Y. Mazaki and K. Kobayashi. *J. Mater. Sci. Letts.*, **15**, 1684, 1996.
27. Synthesis of electrically conducting poly{2,2'-[5,5'-(1,2-ethynediyl)]bisthiophene}. S. C. Ng, H. S. O. Chan, L. S. Leong and **A. Sarkar**. *J. Mater. Sci. Letts*, **15**, 664, 1996.

28. Preparation and polymerisation of heteroaryl functionalised oligoynes. **A. Sarkar**, S. Okada, K. Komatsu, H. Matsuda and H. Nakanishi. *Polymer Preprints*, Japan, **45**, 1369, 1996.
29. Structure of 1,4-bis(3'-thianaphthyl)-buta-1,3-diyne. T. Manisekaran, **A. Sarkar**, S. S. Talwar and J.S. Prasad. *Mol. Cryst. Liq. Cryst. Sci. Technol. Sect. A*, **268**, 101, 1995.
30. Structure of 1,4-bis(1'-naphthyl)-buta-1,3-diyne. T. Manisekaran, **A. Sarkar**, L.P. Bhagwat, S.S. Talwar and J.S. Prasad. *Mol. Cryst. Liq. Cryst. Sci. Technol. Sect. A*, **268**, 55, 1995.
31. Structure of 1-(3-quinolyl)-4-(2-thienyl)-buta-1,3-diyne. M.J. Barrow, G.H.W. Milburn, Z. Zeng, **A. Sarkar** and S.S. Talwar. *Acta Cryst. C*, **C50**, 650, 1994.
32. A Convenient Method for the Synthesis of Thienylacetylenes. **A. Sarkar**, P. Sekher, M.B. Kamath, L.P. Bhagwat, K.N. Babu, K. Rajalakshmi and S.S. Talwar. *Ind. J. Chem.*, **30B**, 360, 1991.

PUBLISHED IN CONFERENCE PROCEEDINGS: Abhijit Sarkar

1. Diacetylenes with formally conjugated sidegroups: Precursors to liquid crystalline polymers ? **A. Sarkar**, K.N. Babu, P.K. Khandelwal, L.P. Bhagwat and S.S. Talwar. *Frontiers of Polymer Research*, Eds. Paras N. Prasad and J.K. Nigam, Plenum Press, New York, 1991, pp. 233.
2. Optical properties of Polydiacetylenes in solution and solid state. K.N. Babu, **A. Sarkar**, L.P. Bhagwat and S.S. Talwar. *Frontiers of Polymer Research*, Eds. Paras N. Prasad and J.K. Nigam, Plenum Press, New York, 1991, pp. 183.
3. Solid state and electrochemical polymerisation of novel diacetylene monomers. **Abhijit Sarkar**, Anuradha Kulkarni, A. Q. Contractor and S. S. Talwar. *Polymer Science- Contemporary Themes*, Ed. S. Sivram, Tata McGraw Hill, New Delhi, vol. 1, 1991, pp. 267.
4. Polymerisation of 1,4-bis(2-thienyl)-1,3-butadiyne and 1,4-bis(3-thienyl)-1,3-butadiyne. **Abhijit Sarkar**, Rakesh Sachdeva and Satya S. Talwar. *Polymer Science- Recent Advances*, Ed. I.S. Bhardwaj, Allied Publishers Ltd., New Delhi, vol. 1, 1994, pp. 278.
5. Synthesis and solid state polymerisation of novel diacetylenes. Lalita P. Bhagwat, Nagendra K. Babu, **Abhijit Sarkar** and Satya S. Talwar. *Polymer Science- Recent Advances*, Ed. I.S. Bhardwaj, Allied Publishers Ltd., New Delhi, vol. 1, 1994, pp. 82-87.
6. Synthesis and polymerisation studies of 3,3'-difunctional-2,2'-bithiophenes and bis(2-thienyl)acetylene. S.C. Ng, H.S.O. Chan and **A. Sarkar**. *Proceedings of IUPAC International Polymer Symposium*, Taipei, Nov. 14-16, 1994.
7. Synthesis and polymerisation of functional bithienylacetylenes. **A. Sarkar**, S.C. Ng and H.S.O. Chan. *Proceedings of the Third NUS symposium on Materials Science and Engineering, Singapore*, Eds. H.S.O. Chan et. al., 1994, pp. 113
8. Synthesis and electrochemical polymerisation of thiophene containing monomer. N. Toledo, H.S.O. Chan, S.C. Ng and **A. Sarkar**. *Proceedings of Science Research Congress*, 1994, Singapore, pp. 107.
9. Synthesis and characterisation of a novel polymer arising from 4-(2-thienyl) benzenamine. K.L. Chan, S.C. Ng, H.S.O. Chan and **A. Sarkar**. *Proceedings of Science Research Congress*, 1994, Singapore, pp. 100.
10. A Soluble and Electrically Conducting Polymer System Incorporating thiophene and acetylenic moieties. **A. Sarkar**, Leong L. San, Hardy S. O. Chan and Siu C. Ng. *Advanced New Materials and Emerging New Technologies*, Eds. P.N. Prasad, E. Mark and J.F. Fai, Plenum, New York, 1995, pp. 355.
11. Synthesis and Solid State Polymerisation of Heteroaryl Functionalized Tetraynes. **Abhijit Sarkar**, Shuji Okada, Hiro Matsuda and Hachiro Nakanishi. *Proceedings of the Spring Meeting of the Chemical Society of Japan, Tokyo*, 1996.
12. Preparation and Polymerisation of heteroaryl functionalised oligoynes. **A. Sarkar**, S. Okada, H. Komatsu, H. Matsuda and H. Nakanishi, *Proceedings of the Spring Meeting of the Polymer Society of Japan, Hiroshima*, 1996.

13. Preparation of Asymmetrically Substituted Diacetylenes containing Heteroaryl Sidegroups and their Solid State Polymerisation. **Abhijit Sarkar**, Shuji Okada, Hiro Matsuda and Hachiro Nakanishi. Proceedings of the *Spring Meeting of the Chemical Society of Japan, Kyoto*, 1997.
14. Preparation of Asymmetrically substituted diacetylenes containing heteroaryl sidegroups and their solid state polymerisation. **A. Sarkar**, S. Okada, H. Matsuda and H. Nakanishi. Proceedings of the *8th International conference on Unconventional Photochemical System (UPS 8), Nara, Japan*, 1997.
15. Preparation and Characterisation of polydiacetylenes from Heteroaryl Functionalised Butadiynes. **Abhijit Sarkar**, Shuji Okada, Hiro Matsuda and Hachiro Nakanishi. Proceedings of the *Spring Meeting of the Polymer Society of Japan, Kyoto, Japan*, 1998.
16. Improved Third-Order Nonlinear Optical Properties of Polydiacetylene Derivatives. Shuji Okada, Hachiro Nakanishi, Hiroshi Matsuzawa, Hideyuki Katagi, Toshiyuki Oshikiri, Hitoshi Kasai, **Abhijit Sarkar**, Hidetoshi Oikawa, Raul Rangel-Rojo, Takashi Fukuda and Hiro Matsuda, Proceedings of the *SPIE's 44th Annual International Conference, Denver, USA*, July, 1999.
17. Design and Synthesis of Dehydrobenzoannulenes Containing Thiophene Moieties. **Abhijit Sarkar** and Michael M. Haley. Proceedings of the *Spring Meeting of American Chemical Society, San Francisco, USA*, March, 2000.
18. First Hyperpolarizability of Dehydrobenzo[18]annulenes: A New 2D Nonlinear Optical Chromophore. **Abhijit Sarkar**, George W. Rayfield and Michael M. Haley, Proceedings of the *Spring Meeting of American Chemical Society, San Diego, USA*, April, 2001.
19. Colorimetric Nano-sensors based on amphiphilic PAMAM Dendrimers. **Sarkar, A.**; Satoh, P, Dvornic, P., Kaganove, S., Proceedings of the *Spring Meeting of American Chemical Society, New Orleans, USA*, March, 2003.
20. Colorimetric Polydiacetylene Nano-sensors based on PAMAM Dendrimer Templates., **Sarkar, A.**; Satoh, P, Dvornic, P., Kaganove, S., Proceedings of the *Spring Meeting of American Chemical Society, New York, USA*, September, 2003.
21. Self-assembled oligonucleotides conjugated to GaN semiconductor nanostructures for radiative decay engineering. Neogi, A.; Basu, P.; **Sarkar, A.**; Morkoc, H. *Conference on Lasers and Electro-optics*, San Francisco, USA, CThF78, May, 2004.
22. Self-assembled oligonucleotide Semiconductor conjugated to GaN nanostructures for biophotonic applications. Neogi, A.; Li, J.; **Sarkar, A.**; Neogi, P.B.; Gorman, B.; Golding, T.; Morkoc, H. *MRS Meeting, Boston, USA*, December, 2004.